



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

ALABAMA—*Mobile*.—Month of January, 1899. Estimated population, 37,817. Total number of deaths, 81, including measles, 1, and 13 from phthisis pulmonalis.

Month of February. Total number of deaths, 120, including enteric fever 1, and 12 from phthisis pulmonalis.

ILLINOIS—*Chicago*.—During the week ended March 18, 1899, viz, 18 certificates of death were returned to the office of the commissioner of health giving influenza and its complications as the cause thereof, viz, 9 to uncomplicated influenza, 9 to influenza as the cause, complicated with other affections, chiefly pneumonia and consumption, and 13 to other affections, with influenza as a contributing cause.

During the same period 17 certificates of death were returned giving diphtheria as the cause, 66 cases being reported, also 15 giving scarlet fever as the cause, 122 cases being reported.

*Ottawa*.—Month of February, 1899. Estimated population, 12,000. Total number of deaths, 17, including 1 from phthisis pulmonalis.

IOWA—*Boone*.—Month of February, 1899. Census population, 6,520. Total number of deaths, 22, including la grippe, 2, and 3 from phthisis pulmonalis.

*Burlington*.—Estimated population, 30,000. Total number of deaths, 21, including diphtheria, 1; enteric fever, 1; la grippe, 1, and 2 from phthisis pulmonalis.

*Carroll*.—Estimated population, 3,000. Total number of deaths, 4, including 1 from la grippe.

*Cedar Falls*.—Estimated population, 6,000. Total number of deaths, 3, including 1 from phthisis pulmonalis.

*Cedar Rapids*.—Estimated population, 27,000. Total number of deaths, 24, including enteric fever, 1; la grippe, 2, and 2 from phthisis pulmonalis.

*Cherokee*.—Estimated population, 4,000. Total number of deaths, 2, including 1 from phthisis pulmonalis.

*Council Bluffs*.—Census population, 21,474. Total number of deaths, 35, including diphtheria, 1; enteric fever, 1; la grippe, 2; measles, 1, and 2 from phthisis pulmonalis.

*Davenport*.—Estimated population, 36,000. Total number of deaths, 36, including la grippe, 3, and 4 from phthisis pulmonalis.

*Des Moines*.—Estimated population, 72,000. Total number of deaths, 60, including enteric fever, 1; measles, 1; la grippe, 3, and 7 from phthisis pulmonalis.

*Dubuque*.—Estimated population, 45,000. Total number of deaths, 48, including enteric fever, 1; measles, 5; la grippe, 3, and 6 from phthisis pulmonalis.

*Eldon*.—Census population, 1,725. Total number of deaths, 5, including 2 from phthisis pulmonalis.

*Fairfield*.—Census population, 3,391. Total number of deaths, 7, including 1 from la grippe.

*Indianola*.—Estimated population, 2,254. Total number of deaths, 3, including 1 from phthisis pulmonalis.

*Keokuk*.—Estimated population, 19,305. Total number of deaths, 28, including diphtheria, 2; la grippe, 2, and 3 from phthisis pulmonalis.

*Marengo*.—Estimated population, 2,500. Total number of deaths, 3, including 2 from la grippe.

*Marion*.—Census population, 3,984. Total number of deaths, 4, including 1 from phthisis pulmonalis.

*Mitchellville*.—Estimated population, 700. No deaths.

*Nevada*.—Estimated population, 2,500. Total number of deaths, 3.

*Osage*.—Estimated population, 3,200. Total number of deaths, 7.

*Ottumwa*.—Estimated population, 19,000. Total number of deaths, 16, including 3 from phthisis pulmonalis.

*Sibley*.—Estimated population, 1,500. Total number of deaths, 2.

*Waverley*.—Estimated population, 3,500. Total number of deaths, 2.

*West Union*.—Census population, 1,676. One death.

The following infectious diseases were reported for the month of February:

Diphtheria: Pleasant Township, Lucas County; La Porte City; Vail; Davenport; Dubuque; Council Bluffs; Burlington.

Measles: New Albin; Clayton; Ocheyedan; Quincy; Vail; Oakland; Sanborn; Eldon; Ottumwa; Des Moines; Council Bluffs; Burlington.

Scarlet fever: Sanborn; Liberty Township, Hamilton County; Grand Mound; Black Hawk Township, Jefferson County; Garfield Township, Lyon County; Waucoma; Alvord; Lyon Township, Lyon County; Colfax Township, Boone County; Marion Township, Franklin County; Dubuque; Boone.

Typhoid fever: Dubuque; Des Moines; Council Bluffs; Cedar Rapids; Burlington.

MAINE—*Portland*.—Four weeks ended March 18, 1899. Estimated population, 41,500. Total number of deaths, 63, including diphtheria, 1; la grippe, 2, and 1 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended March 18, 1899, from 79 observers indicate that remittent fever, enteric fever, intermittent fever, and inflammation of kidney increased in area of prevalence. Phthisis pulmonalis was reported present at 119, scarlet fever at 56, measles at 38, enteric fever at 23, diphtheria at 17, whooping cough at 13, and smallpox at 6 places—Benton Harbor, Benton Township, Kalamazoo, Kalamazoo Township, Watervliet, and Watervliet Township.

*Port Huron*.—Month of February, 1899. Estimated population, 20,000. Total number of deaths, 32, including 5 from la grippe.

MINNESOTA—*Minneapolis*.—Month of February, 1899. Estimated population, 225,602. Total number of deaths, 188, including diph-

theria, 1; enteric fever, 3; measles, 1; scarlet fever, 1; whooping cough, 3, and 20 from phthisis pulmonalis.

*St. Paul.*—Month of February, 1899. Estimated population, 215,582. Total number of deaths, 167, including diphtheria, 2; enteric fever, 1; whooping cough, 3; la grippe, 3, and 19 from phthisis pulmonalis.

*NEW YORK—Auburn.*—Month of February, 1899. Estimated population, 30,000. Total number of deaths, 41, including diphtheria, 1; la grippe, 4, and 1 from phthisis pulmonalis.

*OHIO—Columbus.*—Month of February, 1899. Estimated population, 140,000. Total number of deaths, 109, including diphtheria, 1; enteric fever, 3; la grippe, 9; whooping cough, 1, and 23 from phthisis pulmonalis.

*OREGON—Portland.*—Month of February, 1899. Estimated population, 92,500. Total number of deaths, 95, including diphtheria, 1; enteric fever, 2, and 10 from phthisis pulmonalis.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. census of 1890.	Total deaths from all causes.	Deaths from—									
				Phthisis pulmonalis.	Yellow fever.	Smallpox.	Variceloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.
Allegheny, Pa.....	Mar. 25....	105,287	30	3	.....	.....	.....	.....	.....	1	.....	1	1
Ann Arbor, Mich.....	Mar. 24....	9,431	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ashtabula, Ohio.....	Mar. 18....	8,338	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Aurora, Ill.....	.....do....	19,688	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Baltimore, Md.....	Mar. 25....	434,439	207	18	.....	.....	.....	.....	.....	1	.....	6	.....
Baton Rouge, La.....	Mar. 18....	10,478	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Do.....	Mar. 25....	10,478	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bennington, Vt.....	.....do....	6,391	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Biddeford, Me.....	.....do....	14,443	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Boston, Mass.....	.....do....	448,477	212	28	.....	.....	.....	.....	.....	1	2	4	2
Bridgeport, Conn.....	.....do....	48,866	11	2	.....	.....	.....	.....	.....	.....	1	.....	.....
Bristol, R. I.....	Mar. 18....	5,478	0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Brockton, Mass.....	.....do....	27,294	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Brookline, Mass.....	.....do....	12,103	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
Bucyrus, Ohio.....	Mar. 11....	5,974	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Do.....	Mar. 18....	5,974	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cambridge, Mass.....	Mar. 25....	70,028	21	3	.....	.....	.....	.....	.....	.....	.....	.....	1
Camden, N. J.....	.....do....	58,313	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Charleston, S. C.....	Mar. 18....	a 54,955	b 30	10	.....	.....	.....	.....	.....	2	.....	.....	.....
Chelsea, Mass.....	.....do....	27,909	11	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chicopee, Mass.....	.....do....	14,050	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chillicothe, Ohio.....	Mar. 25....	11,288	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chippewa Falls, Wis..	Mar. 18....	8,670	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cincinnati, Ohio.....	Mar. 10....	296,908	125	16	.....	2	.....	.....	.....	3	.....	.....	1
Do.....	Mar. 17....	296,908	137	26	.....	.....	.....	.....	.....	2	.....	2	3
Corning, N. Y.....	Mar. 18....	8,550	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Detroit, Mich.....	.....do....	205,876	82	12	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dunkirk, N. Y.....	.....do....	9,416	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Elmira, N. Y.....	.....do....	29,708	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Evansville, Ind.....	Mar. 25....	50,756	15	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Everett, Mass.....	Mar. 18....	11,068	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fall River, Mass.....	Mar. 25....	74,398	31	3	.....	.....	.....	.....	.....	.....	2	.....	.....
Fitchburg, Mass.....	Mar. 18....	22,037	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Flint, Mich.....	.....do....	9,803	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Green Bay, Wis.....	.....do....	9,069	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hannibal, Mo.....	.....do....	12,857	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hoboken, N. J.....	Mar. 25....	43,618	16	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Holyoke, Mass.....	.....do....	35,637	15	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hyde Park, Mass.....	Mar. 18....	10,193	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Johnstown, Pa.....	Mar. 25....	21,805	18	2	.....	.....	.....	.....	.....	1	.....	1	.....
Kalamazoo, Mich.....	Mar. 18....	17,853	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Lancaster, Pa.....	.....do....	32,011	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

a Estimated population, 65,165—white, 28,870; colored, 36,295. b White, 10; colored, 20.